

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	wo-03008245-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:05
L2	1	wo-3008245-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:09
L3	1	jp-03132464-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:11
L4	2	"5853231".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:47
L5	0	mounting adj device with lamiated adj sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:48
L6	2	mounting adj device with laminated adj sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:49
L7	2079	mounting adj device with vehicle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:49
L8	88	mounting adj device with vehicle with vibration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:01
L9	1138	mounting adj bracket with resilient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:01

L10	0	mounting adj bracket with resilient with shhet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:01
L11	21	mounting adj bracket with resilient with sheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:14
L12	0	lamianted adj sheet with punching with stamping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:14
L13	0	lamianted with sheet with punching with stamping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:15
L14	5	laminated with sheet with punching with stamping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:16
L15	9	laminated with sheet with punching same stamping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:17
L16	4	15 not 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:17
L17	0	lamianted adj sheet with resilient with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:18
L18	35	laminated adj sheet with resilient with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:18
L19	9	("3685635" "4056161" "4278726" "4347280" "4766028" "4981737" "5013591" "5300360" "5435842").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 10:19

L20	1	("3889806").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/13 10:21
L21	0	resilient with theraded adj bore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:09
L22	422	resilient with threaded adj bore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:10
L23	4	resilient with threaded adj bore with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 11:10